



Ammonium Pentaborate

Safety Data Sheet

Revision Date: January 2023
Supersedes: September 2016

Section 1

Identification of the chemical and of the supplier

- 1.1 Product Identifier** Ammonium pentaborate
- 1.2 Other means of identification**
- Chemical name:** Ammonium pentaborate tetrahydrate
- Synonyms:** Ammonium pentaborate
- Grades:** Technical, SQ
- 1.3 Recommended use of the chemical and restrictions on use** Industrial manufacturing
Flame retardant
- 1.4 Supplier's details**
- Company name:** **U.S. Borax Inc.**
- Address:** 14486 Borax Road
Boron, CA 93516-2000, USA
- Supplied by in Canada
P.O. Box 8090
London, Ontario N6G 2B0 2
- Telephone number:** +1 (760) 762-7000
- Email:** rtb.sds@riotinto.com
- 1.5 Emergency phone number** (1) 866 928 0789 (24-Hr toll-free number) (Rio Tinto Borates)
(1) 215 207 0061 (24-Hr Non toll-free number) (Rio Tinto Borates)

Section 2

Hazards identification

- 2.1 Classification of the substance or mixture**
- Reproductive Toxicity Category 2
- 2.2 GHS label elements, including pictogram or symbol, signal word, hazard and precautionary statements**
- Hazard pictograms**



Signal word: Warning

Hazard statements:

H361: Suspected of damaging fertility or the unborn child.

Precautionary statements:

P202: Do not handle until all safety precautions have been read and understood.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container in accordance with local regulation.

Other hazards which do not result in classification (e.g. dust explosion hazard): None

Section 3 Composition/information on ingredients

3.1 Substances

Chemical name	CAS No.	% content	See Section 8 for Occupational Exposure Limits
Ammonium pentaborate tetrahydrate	12046-04-7	>99.0	

Section 4 First aid measures

4.1 Description of necessary first aid measures

Protection of first-aiders: No special protective clothing is required.

Inhalation: If symptoms such as nose or throat irritation are observed, remove to fresh air.

Eye contact: Use eye wash fountain or fresh water to cleanse eye. If irritation persists for more than 30 minutes, seek medical attention.

Skin contact: No treatment necessary.

Ingestion: Swallowing small quantities (one teaspoon) will cause no harm to healthy adults. If larger amounts are swallowed, give two glasses of water to drink and seek medical attention.

4.2 Most important symptoms and effects both acute and delayed: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling (see Section 11).

4.3 Indication of any immediate medical attention and special treatment needed: Note to physicians: Supportive care only is required for adult ingestion of less than a few grams of the product. For ingestion of larger amounts, maintain fluid and electrolyte balance and maintain adequate kidney function. Gastric lavage is only recommended for heavily exposed, symptomatic patients in whom emesis has not emptied the stomach. Hemodialysis should be reserved for patients with massive acute absorption, especially for patients with compromised renal function. Boron analyses of urine or blood are only useful for verifying exposure and are not useful for evaluating severity of poisoning or as a guide in treatment¹.

Section 5 Fire-fighting measures

5.1 Suitable extinguishing media: Use extinguishing media that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: None

5.2 Special hazards arising from the chemical

None. The product is not flammable, combustible or explosive. Ammonia gas may be released at high temperatures.

5.3 Special protective equipment and precautions for fire fighters:

Not applicable. The product is itself a flame retardant. Ammonia gas may be released at high temperatures.

Section 6 Accidental release measures

6.1 Personal precaution, protective equipment, and emergency procedures

For non-emergency personnel:

Eye goggles and gloves are not required for normal industrial exposures, but eye protection according to ANSI Z.87.1 or other

national standard. Respirators should be considered if environment is excessively dusty.

For emergency responders:

Eye goggles and gloves are not required for normal industrial exposures, but eye protection according to ANSI Z.87.1 or other national standard. Respirators should be considered if environment is excessively dusty.

- 6.2 Environmental precautions:** The product is a water-soluble white powder that may cause damage to trees or vegetation by root absorption. Avoid contamination of water bodies during clean up and disposal. Advise local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns the boron value to its normal environmental background level or meets local water quality standards.

6.3 Methods and material for containment and cleaning up

Appropriate containment: Avoid spillage into water and cover drains.

Land spill: Vacuum, shovel or sweep up and place in containers for disposal in accordance with applicable local regulations.

Spillage into water: Where possible, remove any intact containers from the water.

6.4 Reference to other sections

Refer to sections 8, 12 and 13.

Section 7 Handling and storage

7.1 Precautions for safe handling

Good housekeeping procedures should be followed to minimise dust generation and accumulation. Avoid spills. Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity and to minimise caking of the product, bags should be handled on a first-in first-out basis.

Storage temperature: Ambient
Storage pressure: Atmospheric
Special sensitivity: Moisture (Caking)

Section 8 Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values: This product is treated by OSHA as "Particulate Not Otherwise Classified" (PNOR). CAL OSHA has established a Permissible Exposure Limit (PEL) for related borates (tetra, sodium salts). In the absence of a national OEL, Rio Tinto Borates recommends and applies internally an Occupational Exposure Limit (OEL) of 1 mg B/m³. To convert product into equivalent boron (B) content, multiply by 0.1986.

Occupational Exposure Limits:

OSHA/PEL (total dust)	15 mg/m ³	Particulate Not Otherwise Classified or Nuisance Dust
OSHA/PEL (respirable dust)	5 mg/m ³	Particulate Not Otherwise Classified or Nuisance Dust
Cal OSHA/PEL	5 mg/m ³	Particulate Not Otherwise Classified or Nuisance Dust

- 8.2 Appropriate engineering controls:** Use local exhaust ventilation to keep airborne concentrations of dust below permissible exposure limits.

8.3 Personal protection equipment:

Eye and face protection: Eye protection according to ANSI Z.87.1 or other national standards may be warranted if environment is excessively dusty.
 Skin protection: Standard work gloves (cotton, canvas or leather) may be warranted if environment is excessively dusty.
 Respiratory protection: Where airborne concentrations are expected to exceed exposure limits, respirators should be used.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	White, crystalline solid
Odour	Ammoniacal
Odour threshold:	Not available.
pH @ 20°C:	8.35 (1.0% solution); 7.32 (10.0% solution)
Melting point/ Freezing point:	>500°C
Initial boiling point and boiling range:	Not applicable: melting point >300°C
Flash point:	Not applicable: inorganic substance
Evaporation rate:	Not applicable: non-volatile
Flammability:	Non-flammable (used as a flame retardant)
Upper/lower flammability or explosive limits:	Not applicable: non-flammable
Vapour pressure:	Not applicable: melting point >300°C
Vapour density:	Not applicable: melting point >300°C
Relative density:	1.574 kg/m ³
Solubility(ies):	Water: 9.62% @ 20°C; 41.2% @ 90°C
Partition coefficient; n-octanol/water:	Not applicable: inorganic substance
Auto-ignition temperature:	Not applicable: not self-heating
Decomposition temperature:	Not applicable: melting point >300°C
Viscosity:	Not applicable: solid substance
Explosive properties:	Not explosive: does not contain chemical groups associated with explosive properties
Oxidising properties:	Not oxidising: does not contain chemical groups associated with oxidising properties

9.2 Other information

Molecular weight:	272
Formula:	NH ₄ B ₅ O ₈ ·4H ₂ O

Section 10 Stability and reactivity

10.1 Reactivity: None known.

10.2 Chemical stability: Slowly breaks down to release ammonia.

10.3 Possibility of hazardous reactions: Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard. Reaction with strong bases such as NaOH will generate ammonia (NH₃).

10.4 Conditions to avoid: Avoid contact with strong reducing agents or strong bases by storing according to good industrial practice.

10.5 Incompatible materials: Strong reducing agents and strong bases.

10.6 Hazardous decomposition products: Ammonia

Section 11 Toxicological Information

11.1 Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because product is poorly absorbed through intact skin. Product is *not* intended for ingestion.

(a) Acute toxicity

Method: Acute Oral Toxicity Study

Species: Swiss mice

Dose: Doses used in study were not described in the report.

Routes of Exposure: Oral

Results: Low acute oral toxicity. LD₅₀ in mice is greater than 4,200 mg/kg of body weight. Based on the available data, the classification criteria are not met.

(b) Skin corrosion / irritation: Based on similar substance Ammonium Baborate

Method: Acute Oral Toxicity Study

Species: Rabbit

Dose: 0.5 grams applied to intact and abraded skin

Routes of Exposure: dermal

Results: Based on the lack of dermal irritation responses in the rabbit from dermal application of ammonium baborate, no dermal irritation would be expected from ammonium pentaborate.

(c) Serious eye damage / irritation:

Method: Primary Eye Irritation Study

Species: Rabbit

Dose: 0.1 gram

Routes of Exposure: placed in the left conjunctiva of three adult albino rabbits

Results: Slight initial reaction was observed subsiding after 30 minutes, Based on the results of the primary eye irritation study, the classification criteria are not met.

(d) Respiratory or skin sensitisation: Not a skin sensitiser (based on boric acid).

(e) Germ cell mutagenicity: No data on the product itself. Not mutagenic based on boric acid.

(f) Carcinogenicity: No data on the product itself. Not carcinogenic based on boric acid.

(g) Reproductive toxicity:

No data on the product itself. However, animal feeding studies with boric acid and sodium tetraborate in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testes². Studies with the chemically related boric acid in rat, mouse and rabbit, at high doses, demonstrate developmental effects on the fetus including fetal weight loss and minor skeletal variations. The lowest NOAEL is 9.6 mg B/kg in rats, based on developmental effects. The doses administered were many times in excess of those which humans would normally be exposed^{3,4}. While boron has been shown to adversely affect male reproduction in laboratory animals, there was no clear evidence of male reproductive effects attributable to boron in studies of highly exposed workers⁵. Based on weight of evidence evaluation, classification of ammonium pentaborate as Repr. Cat. 2 is justified.

(h) STOT-single exposure: No data on the product itself.

(i) STOT-repeated exposure: No data on the product itself.

(j) Aspiration hazard: Physical form of solid powder indicates no aspiration hazard potential.

11.2 Symptoms related to the physical, and chemical and toxicological characteristics:

At high concentrations irritation of nose, throat and eye may be observed. Products are *not* intended for ingestion. Small amounts (e.g., a teaspoonful) swallowed accidentally are not likely to cause effects. Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhea, with delayed effects of skin redness and peeling.

11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid and sodium borate dust. Human epidemiological studies indicate no effect on fertility in occupational populations with chronic exposures to borate dust and indicate no effect to a general population with high exposures to borates in the environment.

11.4 Numerical measures of toxicity (such as acute toxicity)

None. This product is a substance.

Section 12 Ecological information

12.1 Ecotoxicity (aquatic and terrestrial, where available)

Boron occurs naturally in sea water at a nearly uniform average concentration of 5 mg B/l and fresh water between 0.01 and 0.4 mg B/l. In diluted aqueous solutions the predominant boron species present is undissociated boric acid. To convert product into equivalent boron (B) content, multiply by 0.1986.

Algal toxicity ⁶:

Green algae, *Scenedesmus subspicatus*

96-hr EC₁₀=24 mg B/l†

Invertebrate toxicity:

Daphnids, *Daphnia magna* Straus⁷

48-hr LC₅₀ = 133mg B/l†

21-day NOEC-LOEC = 6-13 mg B/l†

Fish toxicity:Sea water⁶:Dab, *Limanda limanda*96-hr LC₅₀ = 74 mg B/l†Fresh water⁷:Rainbow trout, *Oncorhynchus mykiss* (embryo-larval stage)24-day LC₅₀ = 150 mg B/l†32-day LC₅₀ = 100 mg B/l†Goldfish, *Carassius auratus* (embryo-larval stage)7-day LC₅₀ = 46 mg B/l†3-day LC₅₀ = 178 mg B/l†

Test substance: †Boric acid

‡ Sodium tetraborate

Phytotoxicity: Boron is an essential micronutrient for healthy growth of plants. It can be harmful to boron sensitive plants in higher quantities. Care should be taken to minimise the amount of borate product released to the environment.

12.2 Persistence and Degradability

Biodegradation is not an applicable endpoint since the product is an inorganic substance.

12.3 Bioaccumulative potential

This product will undergo hydrolysis in water to form undissociated boric acid. Boric acid will not biomagnify through the food chain. Octanol/Water partition coefficient: Log P_{ow} = -0.7570 @ 25°C (based on boric acid).

12.4 Mobility in soil

The product is soluble in water and is leachable through normal soil. Adsorption to soils or sediments is insignificant.

12.5 Other adverse effects

None

Section 13 Disposal considerations

13.1 Disposal methods

Product packaging should be recycled where possible.

Local authorities should be consulted about any specific local requirements

Such product should, if possible, be used for an appropriate application.

Section 14 Transport information

Transport Classification for Road (ADR/DOT/TDG) / Rail (RID); Inland waterways (ADN); Sea (IMDG); Air (ICAO/IATA)

14.1 UN Number:	Not Regulated
14.2 UN Proper Shipping Name:	Not Regulated
14.3 Transport hazard class(es):	Not Regulated
14.4 Packing Group:	Not Regulated
14.5 Environmental Hazards (e.g. marine pollutant)	Not Regulated
14.6 Special precautions for user:	Not Regulated
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	Not Regulated

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**International regulations****Chemical Weapon Convention List Schedule I, II & III Chemicals:** Not listed.

Clean Air Act (Montreal Protocol) - Substances that deplete the ozone layer: Not manufactured with and does not contain any Class I or Class II ozone depleting substances.

NPRI (Canada): This product is not listed on the Canadian National Pollutant Release Inventory.

Stockholm Convention on Persistent Organic Pollutants: Not listed

Rotterdam Convention on Prior Informed Consent (PIC): Not listed

UNECE Aarhus Protocol on POPs and Heavy Metals: Not listed

Regulation (EC) No 689/2008 - Export and Import of Dangerous Chemicals: Not listed.

National Regulations: Ensure all national/local regulations are observed.

U.S. EPA RCRA: This product is not listed as a hazardous waste under any sections of the Resource Conservation and Recovery Act (RCRA) or regulations (40 CFR 261 *et seq*).

Superfund: CERCLA/SARA. This product is not listed under CERCLA (Comprehensive Environmental Response Compensation and Liability Act) or its 1986 amendments, SARA (Superfund Amendments and Reauthorization Act), including substances listed under Section 313 of SARA, Toxic Chemicals, 42 USC 11023, 40 CFR 372.65, Section 302 of SARA, Extremely Hazardous Substances, 42 USC 11002, 40 CFR 355, or the CERCLA Hazardous Substances list, 42 USC 9604, 40 CFR 302.

Safe Drinking Water Act (SDWA): This product is not regulated under the SDWA, 42 USC 300g-1, 40 CFR 141 *et seq*. Consult state and local regulations for possible water quality advisories regarding boron compounds.

Clean Water Act (CWA) (Federal Water Pollution Control Act): 33 USC 1251 *et seq*.

- a) This product is not itself a discharge covered by any water quality criteria of Section 304 of the CWA, 33 USC 1314.
- b) It is not on the Section 307 List of Priority Pollutants, 33 USC 1317, 40 CFR 129.
- c) It is not on the Section 311 List of Hazardous Substances, 33 USC 1321, 40 CFR 116.

IARC: The International Agency for Research on Cancer (IARC) (a unit of the World Health Organization) does not list or categorize this product as a carcinogen.

NTP Biennial Report on Carcinogens: This product is not listed.

OSHA carcinogen: This product is not listed.

California Proposition 65: This product is not listed on the Proposition 65 list of carcinogens or reproductive toxicants.

Chemical inventory listing: The listing is sometimes under the Inventory number of the anhydrous form of this inorganic salt.

United States (TSCA) Active:	12007-89-5
Canada (DSL):	12007-89-5
European Union (EINECS):	234-521-1
Australia (AICS):	12007-89-5
China (IECSC):	12007-89-5
Japan (METI & ISHL):	(1)-60
South Korea (KECI):	KE-09785
Philippines (PICCS):	Not listed
New Zealand (NZIoC):	12046-04-7
Taiwan (NECI):	Listed
Thailand:	Not determined
Vietnam:	12007-89-5

Section 16 Other information

16.1 Date of revision: January 2023

16.2 Revision Details:

Section 1: Updated with logo, new contact email address and group name at emergency phone number .
Section 5, 8, 9, 11, 14, 15 and 16: Update information.

16.3 References:

1. Litovitz T L, Norman S A, Veltri J C, Annual Report of the American Association of Poison Control Centers Data Collection System. Am. J. Emerg. Med. (1986), 4, 427-458
2. National Toxicology Program (NTP) – Technical Report Series No. TR324, NIH Publication No. 88-2580 (1987), PB88 213475/XAB
3. Fail *et al.*, Fund. Appl. Toxicol. (1991) 17, 225-239
4. Heindel *et al.*, Fund. Appl. Toxicol. (1992) 18, 266-277
5. Scialli *et al.* Reproductive Toxicology (2010) 29: 10 – 24
6. Schöberl P, Marl and Huber L (1988) Tenside Surfactants Detergents 25, 99-107
7. Birge W J, Black J A, EPA-560/-76-008 (April 1977) PB 267 085

8. Taylor et al. (1985). Aquatic Toxicology, 7 (1985) 135-144

For general information on the toxicology of borates see Patty's Toxicology, 6th Edition Vol. I, (2012) Chap. 23, 'Boron'.

16.4 Abbreviations and acronyms:

EC: Effect concentration
 GHS: Global Harmonised System for classification and labelling of chemicals
 IATA: International Air Transport Association
 IBC: Intermediate Bulk Container
 IMDG: International Maritime Dangerous Goods
 LC: Lethal Concentration
 LD: Lethal Dose
 MARPOL: International Convention for the Prevention of Pollutant From Ships, 1973
 STOT: Specific Target Organ Toxicity
 LOEC: Lowest Observed Effect Concentration
 NA: Not applicable.
 NOAEL: No observed adverse effect level
 NOEC: No Observed Effect Concentration
 STP: Sewage Treatment Plant

Precautionary Phrases:

KEEP OUT OF REACH OF CHILDREN.
 Do not ingest.
 Not for use in food, drugs or pesticides.
 Refer to safety data sheet.

National Fire Protection Assoc. (NFPA) classification:

Health 0
 Flammability 0
 Reactivity 0

Hazardous Materials Information Systems (HMIS):

Red: (Flammability) 0
 Yellow: (Reactivity) 0
 Blue: (Acute Health) 1*
 *Chronic Effects

Disclaimer:

U.S. Borax Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. U.S. BORAX INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, U.S. BORAX INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.