# SAFETY DATA SHEET



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

.1 Product identifier			
Product name	: Boric Acid - Ma	nufacturing Grade	
Chemical name	: Boric acid		
Index number	: 005-007-00-2		
EC number	: 233-139-2		
REACH Registration nu	<u>ımber</u>		
Registra	tion number	Legal entity	
01-2119486683-25-003	9	Rio Tinto Iron & Titanium GmbH (5)	
CAS number	: 10043-35-3		
Product type	: Solid.		
Other means of identification	: Orthoboric acid		

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses

: Refer to the table "Identified uses" below.

#### **Identified uses**

Chemical synthesis (Laboratory chemicals, Chemical production, Intermediate, A complete list of uses is provided in the introduction to Annex - Exposure Scene	
Importing and packaging	

Uses advised against	Reason
	Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

#### 1.3 Details of the supplier of the safety data sheet

#### **Borax Europe Limited**

6 St. James's Square London, SW1Y 4AD United Kingdom T: +44 (0)20 7781 2000

### Borax Francais S.A.S.

Usine/Siège Social Route de Bourbourg 59411 Coudekerque-Branche Cedex, France T: +33 3 28 29 28 30

#### **Rio Tinto Iron & Titanium GmbH**

Alfred-Herrhausen-Allee 3-5, 65760 Eschborn Germany T: +49 6196 96000

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

e-mail address of person	: rtb.sds@riotinto.com
responsible for this SDS	

## 1.4 Emergency telephone number

Telephone number	: EU States Emergency Helpdesks: http://echa.europa.eu/help/ nationalhelp_contact_en.asp
Telephone number	: +44 (0) 1235 239 670 (Rio Tinto Borates) For advice on chemical emergencies, spillages, fires or First Aid.

# **SECTION 2: Hazards identification**

2.1 Classification of the	substance or mixture
---------------------------	----------------------

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Repr. 1B, H360FD

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

# 2.2 Label elements

Hazard pictograms



Signal word	1	Danger
Hazard statements	:	May damage fertility. May damage the unborn child.
Precautionary statements		
Prevention	:	Do not handle until all safety precautions have been read and understood.
Response	:	IF exposed or concerned: Get medical advice/attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents/container in accordance with local regulation.
Hazardous ingredients	1	boric acid
Supplemental label elements	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Restricted to professional users.
Special packaging requirem	<u>en</u>	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.

#### 2.3 Other hazards

Boric Acid - Manufacturing Grade

## **SECTION 2: Hazards identification**

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIIIPBTPBTvPvBvPvBNotN/AN/AN/AN/AN/AN/AN/AN/AN/A1907/2006, Annex XIIIInorganic)InorganicInorganicInorganicInorganicInorganic								
to Regulation (EC) No. 1907/2006 Appex XIII Not N/A N/A N/A N/A Applicable Applicable		PBT	Р	В	Т	vPvB	vP	vB
	to Regulation (EC) No.	applicable	N/A	N/A	N/A	applicable	N/A	N/A

Other hazards which do not result in classification

: May be harmful if swallowed.

# **SECTION 3: Composition/information on ingredients**

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
boric acid	REACH #: 01-2119486683-25 EC: 233-139-2 CAS: 10043-35-3 Index: 005-007-00-2	>99.9	Repr. 1B, H360FD	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

#### Туре

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

4.1 Description of first aid n	neasures
Eye contact	: Use eye wash fountain or fresh water to cleanse the eye. If irritation persists for more than 30 minutes, seek medical attention.
Inhalation	: If symptoms such as nose or throat irritation are observed, remove to fresh air.
Skin contact	: No treatment necessary.
Ingestion	: Swallowing small quantities (one teaspoon) will cause no harm to healthy adults. If larger amounts are swallowed, give two glasses of water to drink and seek medical attention.
Protection of first-aiders	: No special protective clothing is required

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.
Ingestion	: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Date of issue/Date of revision : 11/22/20	22 Date of previous issue	: 7/10/2018	Version : 1.01	3/16
---	---------------------------	-------------	----------------	------

Boric Acid - Manufacturing Grade

SECTION 4: First aid measures			
Notes to physician	: Supportive care only is required for adult ingestion of less than a few grams of the product. For ingestion of larger amounts, maintain fluid and electrolyte balance and maintain adequate kidney function. Gastric lavage is only recommended for heavily exposed, symptomatic patients in whom emesis has not emptied the stomach. Hemodialysis should be reserved for patients with massive acute absorption, especially for patients with compromised renal function. Boron analyses of urine or blood are only useful for verifying exposure and are not useful for evaluating severity of poisoning or as a guide in treatment.		
Specific treatments	: No specific treatment.		

# **SECTION 5: Firefighting measures**

_	-
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: None. The product is not flammable, combustible or explosive.
Hazardous combustion products	: None.
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: None.
Special protective equipment for fire-fighters	: Not applicable.
Additional information	: Not explosive.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures : Eye goggles and gloves are not required for normal industrial exposures, but eye For non-emergency protection according to CEN 166:2001, Respirators (CEN 149:2001) should be personnel considered if environment is excessively dusty. For emergency responders : Eye goggles and gloves are not required for normal industrial exposures, but eye protection according to CEN 166:2001, Respirators (CEN 149:2001) should be considered if environment is excessively dusty. 6.2 Environmental : The product is a water-soluble white powder that may cause damage to trees or vegetation by root absorption. Avoid contamination of water bodies during clean up precautions and disposal. Advise local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns the boron value to its normal environmental background level or meets local water quality standards. 6.3 Methods and material for containment and cleaning up **Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision

## SECTION 6: Accidental release measures

Large spill	: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Good housekeeping procedures should be followed to minimise dust generation and accumulation. Avoid spills.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity and to minimise caking of the product, bags should be handled on a first-in first-out basis.

Storage temperature: Ambient temperature Storage pressure: Ambient pressure Special sensitivity: Moisture (Caking)

#### 7.3 Specific end use(s)

**Recommendations** Industrial sector specific solutions

: Refer to Annex - Exposure Scenarios

: Not available.

## SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 8.1 Control parameters

### **Occupational exposure limits**

Product/ingredient name	Exposure limit values	
boric acid	ACGIH TLV (United States, 1/2022). [Borate compounds, Inorganic] TWA: 2 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction STEL: 6 mg/m <sup>3</sup> 15 minutes. Form: Inhalable fraction	
procedures internally an C	the absence of a national OEL, Rio Tinto Borates recommends and applies ternally an Occupational Exposure Limit (OEL) of 1 mg B/m <sup>3</sup> . To convert product to equivalent boron (B) content, multiply by 0.175.	
DNELs/DMELs		

# **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
boric acid	DNEL	Short term Oral	0.98 mg/ kg bw/day	General population [Consumers]	Systemic
	DNEL	Long term Oral	0.98 mg/ kg bw/day	General population [Consumers]	Systemic
	DNEL	Long term Inhalation	4.15 mg/m <sup>3</sup>	General population [Consumers]	Systemic
	DNEL	Long term Dermal	196 mg/kg bw/day	General population [Consumers]	Systemic
	DNEL	Long term Dermal	392 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	8.3 mg/m <sup>3</sup>	Workers	Systemic

#### **PNECs**

Product/ingredient name	Compartment Detail	Value	Method Detail
boric acid	Fresh water	2.02 mg B/L	-
	Marine water	2.02 mg B/L	-
	Water - intermittent	13.7 mg B/L	-
	Air	No exposure	-
		expected	
	Soil	5.4 mg B/kg dry	-
		soil	
	Sediment	Waived due to	-
		lack of	
		partitioning to	
		sediment	
	Sewage Treatment	10 mg B/L	-
	Plant		

8.2 Exposure controls		
Appropriate engineering controls		If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection measur	es	
Hygiene measures		Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection		Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: Eye protection according to CEN 166:2001 may be warranted if environment is excessively dusty
Skin protection		
Hand protection		Standard work gloves (cotton, canvas or leather) may be warranted if environment is excessively dusty
Body protection	:	No special protective clothing is required.
Other skin protection		Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue/Date of revision

SECTION 8: Exposure controls/personal protection			
Respiratory protection	: Where airborne concentrations are expected to exceed exposure limits, respirators should be used. (CEN 149:2001).		
Environmental exposure controls	: Limiting releases from site: Where appropriate, material should be recovered and recycled through the process. Spillages of powder or granulated borates should be swept or vacuumed up immediately and placed in containers for disposal in order to prevent unintentional release to the environment. Waste containing borates should be handled as an hazardous waste and removed by licensed operator to an offsite location where it can be incinerated or disposed to a hazardous landfill.		
	Water Emissions: Storage should be sheltered from precipitation. Avoid spillage into water and cover drains. Removal from water can only be accomplished by very specific treatment technologies including ion exchange resins, reverse osmosis etc. Removal efficiency is dependent upon a number of factors and will vary from 40 to 90%. Much of the technology is currently not appropriate to high volume or mixed waste streams. Boron is not removed in considerable amounts in conventional STP. If sites discharge to a municipal STP the concentration of boron should not exceed the PNEC in the municipal STP		
	Air Emissions: Emissions to air can be removed by one or more of the following dust-control measures: electrostatic precipitators, cyclones, fabric or bag filters, membrane filters, ceramic and metal mesh filters, and wet scrubbers		

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physica	i ai	ia chemical properties
<u>Appearance</u>		
Physical state	1	Solid. [Crystalline solid.]
Colour	1	White.
Odour	1	Odourless.
Odour threshold	1	Not applicable. Odourless.
Melting point/freezing point	:	No melting point can be defined in the range 25 - 1000 °C due to the decomposition of the substance above 100 °C.
Initial boiling point and boiling range	:	Not applicable. [melting point >300°C]
Flammability	1	Non-flammable. The product is not flammable, combustible or explosive.
Lower and upper explosion limit	:	Not applicable. Non-flammable.
Flash point	:	Not applicable. Inorganic substance.
Auto-ignition temperature	:	Not applicable (solid). [Not self-heating.]
Decomposition temperature	:	If heated above 100 °C water is lost and boric acid converts initially to metaboric acid (HBO2) and on further heating forms boric oxide (B2O3).
рН	1	6.1 (0.1% solution); 5.1 (1.0% solution); 3.7 (4.7% solution)
Viscosity	:	Dynamic: Not applicable (not liquid). [solid substance] Kinematic: Not applicable (not liquid). [solid substance]
Solubility(ies)	:	
Media		Result
cold water hot water		Soluble Soluble
Solubility in water	:	49.2 g/l [EU A.6]
Miscible with water	:	Yes.
Partition coefficient: n-octanol/ water	:	Log Pow = -1.09 @ 22°C
Date of issue/Date of revision	: 1	1/22/2022         Date of previous issue         : 7/10/2018         Version         : 1.01         7/16

#### 9.1 Information on basic physical and chemical properties

## **SECTION 9: Physical and chemical properties**

-	
Vapour pressure	: Not applicable. Melting point>300°C
Evaporation rate	: Not applicable (solid). [Non-volatile.]
Relative density	: 1.49
Density	: 1.489 g/cm³ [23°C (73.4°F)] [EU A.3]
Bulk density	: Not available. Depends on batch.
Granulometry	: Not available. Depends on batch.
Vapour density	: Not applicable. Melting point>300°C
Explosive properties	: Not explosive.
Oxidising properties	: Not oxidising.
Particle characteristics	
Median particle size	: Not available.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: Under ambient temperatures, the product is stable. When heated it loses water, first forming metaboric acid (HBO <sub>2</sub> ), and on further heating it is converted into boric oxide (B <sub>2</sub> O <sub>3</sub> ).
10.3 Possibility of hazardous reactions	: Boric acid is a weak acid that may cause corrosion of base metals. Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard.
10.4 Conditions to avoid	: Avoid contact with strong reducing agents by storing according to good industrial practice
10.5 Incompatible materials	: Strong reducing agents
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/ingredient name	Result type	Species	Dose	Exposure
boric acid	LC50 Inhalation Dusts and mists LD50 Dermal LD50 Oral	Rat Rabbit Rat	>2 mg/l >2000 mg/kg body weight 2000 to 5000 mg/kg body weight	4 hours - -

## Conclusion/Summary

: Based on available data, the classification criteria are not met.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
boric acid	Eyes - Cornea opacity	New Zealand White Rabbit	<1	0.1 g	-
	Skin - Primary dermal irritation index (PDII)	New Zealand White Rabbit		0.5 g moistened with saline	-

#### **Conclusion/Summary**

Skin

: Non-irritant to skin. Mean primary irritation score: 0.1. Based on the available data, the classification criteria are not met.

Boric Acid - Manufacturing Grade

# **SECTION 11: Toxicological information**

Eyes

: Non-irritating to the eyes. Based on mean scores less than 1, the effects were fully reversible within 7 days. Based on the available data, the classification criteria are not met. Many years of occupational exposure indicate no adverse effects on human eye.

#### **Sensitisation**

Product/ingredient name	Route of exposure	Species	Result	
boric acid	Respiratory skin	Guinea pig Guinea pig	Not sensitizing Not sensitizing	
Conclusion/Summary	·		· · ·	
Skin	: Non-sensitiser met.	r to skin. Based on the avail	able data, the classification criteria are not	
Respiratory	: No respiratory sensitisation studies have been conducted. There are no data to suggest that boric acid is a respiratory sensitiser. Based on the available data, the			

#### **Mutagenicity**

Product/ingredient name	Test	Experiment	Result
boric acid	(based on boric acid)	Experiment: In vitro Subject: Mammalian-Animal Cell: Germ	Negative
Conclusion/Summary	: Not mutagenic. Based	on the available data, the classification	on criteria are not met.

classification criteria are not met.

#### Conclusion/Summary : Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
boric acid	Negative - Oral - TC	Mouse	446 to 1150 mg/kg bw /day (mg Boric acid / kg body weight / day)	Oral feeding study

Conclusion/Summary	: No evidence of carcinogenicity in mice. Based on the available data, the	ne
	classification criteria are not met.	

#### **Reproductive toxicity**

Product/ingredient name	Maternal toxicity	Fertility effects	Developmental effects	Species	Effects	Exposure
boric acid	Negative	Negative	Negative	Human	No adverse fertility effects in male workers. Epidemiological studies of human developmental effects have shown an absence of effects in exposed borate workers and populations living in areas with high environmental levels of boron. Epidemiological studies of human developmental effects have shown an absence of effects in exposed borate workers and populations living in areas with high environmental levels of boron.	Combined oral ingestion and inhalation.
	Positive	-	Positive	Rat	NOAEL in rats for developmental effects on the foetus including foetal weight loss and minor skeletal variations is 9.6 mg B/	Oral feeding study

: 7/10/2018

# **SECTION 11: Toxicological information**

SECTION II. TOXICO	logical in	Iormatio	1		
	-	Positive	-	kg body weight; NOAEL in rats for maternal toxicity is 13.3 mg B/kg body weight NOAEL in rats for effects on fertility in males is 17.5 mg B/kg body weight.	Oral feeding study

**Conclusion/Summary** 

: Reprotoxicity studies have been conducted with boric acid and disodium tetraborate. A multigeneration study in the rat gave a NOAEL for fertility in males of 17.5 mg B/kg/ day. Developmental effects have been observed in laboratory animals, the most sensitive species being the rat with a NOAEL of 9.6 mg B/kg bw/day. Boric acid is classified under the 1st ATP to CLP as Repr. 1B; H360FD. While boron has been shown to adversely affect male reproduction in laboratory animals, there was no clear evidence of male reproductive effects attributable to boron in studies of highly exposed workers.

#### **Teratogenicity**

**Conclusion/Summary** : See Reproductive toxicity.

#### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Based on the available data, the classification criteria are not met.			

#### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Based on the available data, the classification criteria are not met.			

#### **Aspiration hazard**

Product/ingredient name	Result		
Boric acid	Physical form of solid powder indicates no aspiration hazard potential.		

Information on likely routes of exposure	:	Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because product is poorly absorbed through intact skin. <b>Product is not intended for ingestion.</b>
Potential acute health effects		
Eye contact	1	No known significant effects or critical hazards.
Inhalation	1	No known significant effects or critical hazards.
Skin contact	:	Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.
Ingestion	:	This product is not intended for ingestion. Small amounts (e.g., a teaspoon) swallowed accidentally are not likely to cause effects; swallowing amounts larger than that may cause gastrointestinal symptoms. Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

# Symptoms related to the physical, chemical and toxicological characteristicsEye contact: No known significant effects or critical hazards.

## **SECTION 11: Toxicological information**

Inhalation	: No known significant effects or critical hazards.
Skin contact	: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.
Ingestion	: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	<ul> <li>Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid and sodium borate dust.</li> <li>Human epidemiological studies indicate no effect on fertility in occupational populations with chronic exposures to borate dust and indicate no effect to a general population with high exposures to borates in the environment.</li> </ul>

### Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
boric acid	Chronic NOAEL Oral	Rat	17.5 mg/kg 0; 33 (5.9); 100 (17.5); 334 (58.5) mg boric acid (B)/kg bw per day (nominal in diet); and 0; 52 (5.9); 155 (17.5); 516 (58.5) mg borax (B)/kg/day (nominal in diet)	Oral feeding study
Conclusion/Summary	weight/day was det on testes effects. Human epidemiolog occupational popula dust. Human epidemiolo populations with ch	Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid and sodium borate		
General	: No known significar	•		
Carcinogenicity	: No known significar	No known significant effects or critical hazards.		
Mutagenicity	: No known significar	No known significant effects or critical hazards.		
Reproductive toxicity	: May damage fertility	y. May damage <sup>•</sup>	the unborn child.	
oxicokinetics				
Absorption	100 % absorption is	assumed as w	oute is nearly 100 %. For the in orst case scenario. Dermal abs t dose absorbed of < 0.5 %.	
Distribution	: Boric acid is distribution bone 2 - 3 higher the		evenly through the body, with e	concentrations in

## **SECTION 11: Toxicological information**

#### Elimination

: Boric acid is excreted rapidly, with elimination half-lives of 1 h in the mouse, 3 h in the rat and < 27.8 h in humans, and has low potential for accumulation. Boric acid is mainly excreted in the urine.

#### **11.2 Information on other hazards**

#### **11.2.1 Endocrine disrupting properties**

Not available.

#### **11.2.2 Other information**

Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because product is poorly absorbed through intact skin. Product is not intended for ingestion.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
boric acid	EC50 52.4 mg/l (as Boron)	Pseudokirchneriella subcapitata	Fresh water -
	LC50 91 mg/l (as Boron)	Ceriodaphnia dubia	Acute Fresh
			water - Acute
	LC50 79.7 mg/l (as Boron)	Pimephales promelas	Fresh
			water - Acute
	NOEC 6.4 mg/l (as Boron)	Brachydanio rerio	Fresh water -
	NOEC 14.2 mg/l (as Boron)	Daphnia magna	Chronic Fresh water -
	NOEC 17.5 mg/l (as Boron)	Pseudokirchneriella subcapitata	Chronic Fresh water -
			Chronic

**Conclusion/Summary** : Note that the data values are expressed as boron equivalents. To convert product into equivalent boron (B) content, multiply by 0.175. Studies judged to be unreliable or with insufficient information to evaluate are not included.

Boron is an essential micronutrient for healthy growth of plants; however, it can be harmful to boron sensitive plants in high quantities. Care should be taken to minimize the amount of this product released to the environment.

#### 12.2 Persistence and degradability

Conclusion/Summary

: Not applicable. Inorganic substance.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
boric acid	-1.09	-	low

#### 12.4 Mobility in soil

**Mobility** 

Soil/water partition : coefficient (K<sub>oc</sub>)

: Not available.

: The product is soluble in water and is leachable through normal soil. Adsorption to soils or sediments is insignificant.

# **SECTION 12: Ecological information**

## 12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
boric acid	Not applicable (Inorganic)	N/A	N/A		Not applicable (Inorganic)	N/A	N/A

#### **12.6 Endocrine disrupting properties**

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste	: Yes. This product is classified as toxic to reproduction (Repr. 1B) and falls within scope of Directive 2008/98/EC as hazardous waste (H10) Dispose via a licensed waste disposal contractor
<u>Packaging</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

Boric Acid - Manufacturing Grade

## **SECTION 14: Transport information**

**14.6 Special precautions for** : Not applicable. **user** 

14.7 Maritime transport in bulk according to IMO instruments :

: Not available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

#### Substances of very high concern

Intrinsic property	Ingredient name			Date of revision
Toxic to reproduction	boric acid	Recommended	ED/69/2013	7/1/2015

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Restricted to professional users.
Other EU regulations	
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed
Ozone depleting substand Not listed.	<u>es (1005/2009/EU)</u>
Prior Informed Consent (F Not listed.	<u>IC) (649/2012/EU)</u>
Persistent Organic Polluta Not listed.	<u>nts</u>
National regulations International regulations	d under the Seveso Directive. ion List Schedules I, II & III Chemicals
Montreal Protocol Not listed.	
Stockholm Convention on Not listed.	Persistent Organic Pollutants

## **SECTION 15: Regulatory information**

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

Inventory list		
Australia	:	All components are listed or exempted.
Canada	1	All components are listed or exempted.
China	1	All components are listed or exempted.
<b>Eurasian Economic Union</b>	:	Russian Federation inventory: All components are listed or exempted.
Japan	1	Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
New Zealand	1	All components are listed or exempted.
Philippines	1	All components are listed or exempted.
Republic of Korea	1	All components are listed or exempted.
Taiwan	1	All components are listed or exempted.
Thailand	1	All components are listed or exempted.
Turkey	1	All components are listed or exempted.
United States	1	All components are active or exempted.
Viet Nam	:	All components are listed or exempted.

# **15.2 Chemical safety** assessment

\_\_\_\_

## **SECTION 16: Other information**

✓ Indicates information that has changed from previously issued version.

: Complete.

Abbreviations and acronym	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]</li> <li>DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available</li> <li>PBT = Persistent, Bioaccumulative and Toxic</li> <li>PNEC = Predicted No Effect Concentration</li> <li>RRN = REACH Registration Number</li> <li>SGG = Segregation Group</li> <li>vPvB = Very Persistent and Very Bioaccumulative</li> </ul>
Key literature references	: For general information on the toxicology of borates see Patty's Toxicology, 6th Edition Vol. 1. (2012) Chap. 23. 'Boron'

and sources for data Edition Vol. I, (2012) Chap. 23, 'Boron'.

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Repr. 1B, H360FD	Regulatory data

#### Full text of abbreviated H statements

H360FD	May damage fertility. May damage the unborn child.
Full text of classifications [CLP/GHS]	
Repr. 1B	REPRODUCTIVE TOXICITY - Category 1B

## **SECTION 16: Other information**

Additional information	<ul> <li>Restricted to professional users.</li> <li>Keep out of reach of children.</li> <li>Do not ingest.</li> <li>Refer to safety data sheet.</li> <li>Not for use in food or drugs.</li> </ul>
Date of issue/ Date of revision	: 22/11/2022
Date of previous issue	: 10/07/2018
Version	: 1.01
Europe / 4.13 / EN-GB	
Notice to reader	

## Disclaimer:

U.S. Borax Inc. or Borax Europe Limited or Borax Français S.A.S. or Rio Tinto Iron & Titanium GmbH or Rio Tinto Minerals Asia Pte. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

U.S. BORAX INC. OF BORAX EUROPE LIMITED OF BORAX FRANÇAIS S.A.S. OF RIO TINTO IRON & TITANIUM GMBH OF RIO TINTO MINERALS ASIA PTE. LTD. MAKES NO REPRESENTATIONS OF WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY U.S. BORAX INC. OF BORAX EUROPE LIMITED OF BORAX FRANÇAIS S.A.S. OF RIO TINTO IRON & TITANIUM GMBH OF RIO TINTO MINERALS ASIA PTE. LTD. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.

## **Annex: Exposure Scenarios**

The following table lists the uses identified and registered for this substance. Each use has a number of applicable human health, environmental and consumer exposure scenarios. These can be found at www.borax.com/EU-REACH/ exposure-scenarios

ldentified Use Number	Identified Use	Expos	ure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate
1	Abrasives	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium pentaborate (CAS 12007-92-0)
		ES 3	Industrial use of abrasives	15	-	0: other	2, 8a, 24, 28	4	-	
		ES 4	Professional use of abrasives	15	-	0: other	2, 8a, 24, 28	8a, 8d	-	
		ES 5	Consumer use of cutting wheels	-	-	0: other	-	8a, 8d	-	
2	Adhesives	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Disodium octaborate (CAS 12008-41-2)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium metaborate (CAS 7775-19-1) Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0)
		ES 3	Industrial use of adhesives	6a, 6b, 16, 17, 18, 19	-	1	2, 7, 8b, 10, 11, 13, 28	5	ES 5, ES 6, ES 7	Potassium pentaborate (CAS 11128-29- 3)
		ES 4	Consumer use of boron containing adhesives	-	-	1	-	8c, 8f	ES 7	
		ES 5	Industrial service life of adhesed articles	-	2, 8, 11	-	21	12a, 12c	-	
		ES 6     Professional service life of adhesed articles     -     2, 8, 11     -     21     10a, 11a     -								
		ES 7	Consumer service life of adhesed articles	-	2, 8, 11	-	-	10a, 11a	-	

Identified Use Number	Identified Use	Expos	ure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate
З	Agriculture	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Disodium octaborate (CAS 12008-41-2
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium pentaborate (CAS 12007-92-( Dipotassium tetraborate (CAS 1332-7 0) Potassium pentaborate (CAS 11128-2 3)
		ES 3	Professional use of micronutrient fertilizers	1	-	12	2, 3, 7, 8a, 9, 11, 28	8a, 8d	-	
		ES 4	Consumer use of boron containing micronutrient fertiliser	-	-	12	-	8a, 8d	-	
4	Analytical reagent	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4) Sodium metaborate (CAS 7775-19-1) Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0) Potassium pentaborate (CAS 11128-29- 3)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	
		ES 3	Laboratory use of analytical reagent by the industry	24	-	21	2, 9, 15, 28	4, 6b	-	
		ES 4	Laboratory use of analytical reagent by professionals	24	-	21	2, 9, 15, 28	8a, 8b	-	
5	Autocausticing		-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4 Sodium metaborate (CAS 7775-19-1)						
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	
		ES 3	Processing aid	6b	-	20	1, 2, 3, 8a, 8b, 9, 15, 28	4, 6b	-	

ldentified Use Number	Identified Use	Expos	ure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate
6	Catalysts	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	_	
		ES 3	Boron production	8	-	32	1, 2, 4, 8a, 8b, 9	6a	-	
		ES 4	Polymer production	17	-	32	1, 2, 4, 8a, 8b, 9	6b	-	
7	Cellulose insulation	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3)Disodium tetraborate (CAS 1330-43-4)Disodium octaborate (CAS 12008-41-2)Sodium
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	pentaborate (CAS 12007-92-0)
		ES 3	Industrial use of cellulose insulation	19	-	0: other	2, 11, 28	5	ES 5, ES 6, ES 7	
		ES 4	Professional use of cellulose insulation	19	-	0: other	2, 11, 28	8c, 8f	ES 5, ES 6, ES 7	
		ES 5	Industrial service life of cellulose insulation	-	4a	-	21	12a, 12c	-	
		ES 6	Professional service life of cellulose insulation	-	4a	-	21	10a, 11a	-	
		ES 7	Consumer service life of cellulose insulation	-	4a	-	-	10a, 11a	-	
8	Ceramics	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	_	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Disodium octaborate (CAS 12008-41-2)
		ES 3	Production of frits	13	-	20	0: other, 1, 2, 3, 7, 8b, 13, 15, 28	ба	-	

ldentified Use Number	Identified Use	Expos	ure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate
9	Chemical synthesis	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium metaborate (CAS 7775-19-1) Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0)
		ES 3	Manufacture of new chemicals using borates as intermediate	8	-	21	1, 2, 8a, 8b, 9, 15, 28	6a	-	Potassium pentaborate (CAS 11128-29- 3)
		ES 4	Manufacture of new chemicals using borates as processing aid	8	-	21	1, 2, 8a, 8b, 9, 15, 28	6b, 6c	-	
10	Coatings	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Disodium octaborate (CAS 12008-41-2) Dipotassium tetraborate (CAS 1332-77- 0) Potassium pentaborate (CAS 11128-29-
		ES 3	Industrial use of paints and coatings	7, 19	-	9a, 18	2, 7, 8a, 10, 13, 28	5	ES 5, ES 6, ES 7	3)
		ES 4	Professional use of paints and coatings	7, 19	-	9a, 18	2, 8a, 10, 11, 13, 28	5	ES 5, ES 6, ES 7	
		ES 5	Industrial service life of coated articles	-	7a, 8	-	21, 24	12a, 12c	-	
		ES 6	Professional service life of coated articles	-	7a, 8	-	21, 24	10a, 11a	-	
		ES 7	Consumer service life of coated articles	-	7a, 8	-	-	10a, 11a	-	

ldentified Use Number	Identified Use	Expos	sure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate									
11	Construction material	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Disodium octaborate (CAS 12008-41-2)									
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium pentaborate (CAS 12007-92-0)									
		ES 3	Industrial use of borates in construction materials (plaster boards, wood)	19	-	0: other, 8	2, 8a, 21, 28	5	ES 6, ES 7, ES 8										
		ES 4	Professional use of construction materials (plaster boards, wood)	19	-	0: other, 8	2, 8a, 21, 28	8c, 8f	ES 6, ES 7, ES 8										
		ES 5	Consumer use of construction material (plaster boards, wood)	-	-	0: other	-	8c	ES 8										
		ES 6	Industrial service life of construction material	-	4a, 11a	-	21	12a, 12c	-										
		ES 7	Professional service life of construction material	-	4a, 11a	-	21	10a, 11a	-										
		ES 8	Consumer service life of construction material	-	4a, 11a	-	-	10a, 11a	-										
12	Detergents	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Sodium metaborate (CAS 7775-19-1)									
		ES 2		-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0) Potassium pentaborate (CAS 11128-29-										
		ES 3	Professional use of detergents	0: other	-	35	2, 8a, 19, 28	8a	-	3)									
		ES 4	Consumer use of detergents	-	-	35	-	8a	-										
13	Glass	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)									
			ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Dipotassium tetraborate (CAS 1332-77- 0) Potassium pentaborate (CAS 11128-29- 3)								
												-	ES 3	Production of fiberglass, high alkali glass and low alkali glass	13	-	0: other	0: other, 1, 2, 8b, 9, 15, 28	ба

ldentified Use Number	Identified Use	Expos	ure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate	
14	Industrial fluid	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Sodium metaborate (CAS 7775-19-1)	
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0) Potassium pentaborate (CAS 11128-29-	
		ES 3	General industrial use of lubricants and greases in vehicles or machinery (ATIEL-ATC Use Group B(i))	0: other	-	16, 17, 24	1, 2, 8b, 9, 28	4, 7	-	3)	
		ES 4	(Industrial) Use of lubricants and greases in open systems (ATIEL ATC Use Group C(i))	0: other	-	24	2, 7, 8b, 9, 10, 13, 28	4, 7	-		
		ES 5	(Industrial) Use of lubricants in high energy open processes (ATIEL ATC Use Group F(i))	0: other	-	24, 25	2, 8b, 17, 18, 28	4	-		
		ES 6	General professional use of lubricants and greases in vehicles or machinery (ATIEL-ATC Group B(p))	15, 17	-	16, 17, 24	1, 2, 8a, 8b, 20	9a, 9b	-		
		ES 7	(Professional) Use of lubricants and greases in open systems (ATIEL-ATC Group C(p))	15, 17	-	24	2, 8a, 10, 11, 13	8a, 8d	-		
		ES 8	(Professional) use of lubricants in high energy open processes (ATIEL-ATC Group F(p))	15, 17	-	24, 25	2, 8a, 17, 18	8a	-		
			ES 9	General consumer use of lubricants and greases in vehicles or machinery (ATIEL-ATC Group B(c))	-	-	24	-	9a, 9b	-	

ldentified Use Number	Identified Use	Expos	ure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate
15	Leather manufacture	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	
		ES 3	Industrial use in leather manufacturing	5	-	23	2, 8a, 9, 10, 13, 28	6b	-	
		ES 4	Professional use in leather manufacturing	5	-	23	2, 8a, 9, 10, 13, 28	8b	-	
16	Maritime industry	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Disodium octaborate (CAS 12008-41-2)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	
		ES 3	Industrial production of marine ropes	1, 2b	-	0: other	2, 7, 8a, 13, 28	5	ES 5, ES 6	
		ES 4	Professional production of marine ropes	1, 2b	-	0: other	2, 8a, 11, 13, 28	8c, 8f	ES 5, ES 6	
		ES 5	Industrial service life of marine ropes	-	5h	-	21	12a, 12c	-	
		ES 6	Professional service life of marine ropes	-	5h	-	21	10a, 11a	-	

ldentified Use Number	Identified Use	Exposure	e Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate
17	Metallurgy	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	<b>all ES:</b> Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	<b>ES 1-6, ES 9, ES 11-13:</b> Boric oxide (CAS 1303-86-2)
		ES 3	Formulation into alloys	14	-	7	0: other, 1, 2, 8a, 8b, 9, 15, 28	5	ES 11, ES 12, ES 13	<b>ES 1-2, ES 8, ES 10:</b> Disodium octaborate (CAS 12008-41-2)
		ES 4	Industrial use of fluxes for (precious) metal smelting	14	-	7	0: other, 1, 2, 8a, 8b, 9, 15, 28	6b	-	ES 1-2, ES 7, ES 11-13: Sodium metaborate (CAS 7775-19-1) ES 1-2, ES 4-7, ES 9, ES 11-13:
		ES 5	Industrial use of flux pastes for coating brazing and welding rods	15	-	38	2, 8a, 28	5	ES 11, ES 12, ES 13	Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0)
		ES 6	Industrial use of welding, brazing or soldering rods	14, 15, 17, 19	-	38	2, 8a, 25, 28	4, 6b	-	Potassium pentaborate (CAS 11128-29- 3)
		ES 7	Use of borates in metal treatment (plating, passivation, galvanising, cleaning, etc)	14, 17	-	14	2, 7, 8a, 8b, 10, 13, 28	5	ES 11, ES 12, ES 13	
		ES 8	Industrial use for slag stabilisation treatment	14	-	7	2, 4, 8a, 28	6b	-	
		ES 9	Professional use of welding, brazing or soldering rods	14, 15, 17, 19	-	38	2, 8a, 25, 28	8a, 8d	-	
		ES 10	Professional use for slag stabilisation treatment	14	-	7	2, 4, 8a, 28	8b	-	
		ES 11	Industrial service life of metal articles	-	7	-	21	12a, 12c	-	
		ES 12	Professional service life of metal articles	-	7	-	21	10a, 11a	-	
		ES 13	Consumer service life of metal articles	-	7	-	-	10a, 11a	-	

ldentified Use Number	Identified Use	Expos	ure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate
18	Non oxide ceramics	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	
		ES 3	Intermediate use in the production of non oxide ceramic powders	13	-	0: other	0: other, 1, 2, 8a, 8b, 9, 15, 24, 28	ба	-	
19	Nuclear applications	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0) Potassium pentaborate (CAS 11128-29-
		ES 3	Industrial use of borates in closed nuclear system	23	-	37	1, 2, 8a, 8b, 9, 15, 28	4, 6b	-	3)
20	Oil industry	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Disodium octaborate (CAS 12008-41-2)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium metaborate (CAS 7775-19-1) Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0)
		ES 3	Industrial use of cement	2b	-	0: other	1, 2, 8b, 9, 15, 28	6b	-	Potassium pentaborate (CAS 11128-29- 3)
21	Photography	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Sodium metaborate (CAS 7775-19-1)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0) Potassium pentaborate (CAS 11128-29-
		ES 3	Industrial use of photographic solutions	7	-	30	2, 4, 8a, 13, 28	4	-	3)
		ES 4	Professional use of photographic solutions	7	-	30	2, 4, 8a, 9, 13, 28	8a	-	

Identified Use Number	Identified Use	Exposure Scenario (ES)		Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Env. Release Category (ERC)	Subsequent Service Life	Borate
22	Printing paper	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4) Sodium metaborate (CAS 7775-19-1) Sodium pentaborate (CAS 12007-92-0) Dipotassium tetraborate (CAS 1332-77- 0) Potassium pentaborate (CAS 11128-29- 3)
		ES 2	Formulation into solid matrix	_	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	
		ES 3	Use of borate PVA solutions for printing	7	-	26	2, 3, 4, 8a, 28	5	ES 5, ES 6	
		ES 4	Use of borate PVA solutions for printing	7	-	26	2, 3, 4, 8a, 28	8c	ES 5, ES 6	
		ES 5	Professional service life of printed paper	-	8	-	21	10a, 11a	-	
		ES 6	Consumer service life of printed paper	-	8	-	-	10a, 11a	-	
23	Refractories	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Boric oxide (CAS 1303-86-2) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	
		ES 3	Industrial use of refractory mixtures	14	-	15	2, 3, 7. 23	6b	-	
24	Tablet production and use	ES 1	Formulation into mixture	-	-	0: other	1, 2, 3, 8a, 8b, 9, 15, 28	2	-	Boric acid (CAS 10043-35-3) Disodium tetraborate (CAS 1330-43-4)
		ES 2	Formulation into solid matrix	-	-	0: other	1, 2, 7, 8a, 8b, 9, 14, 15, 23, 24, 28	3	-	
		ES 3	Swimming pool tablet use	0: other	-	37	2, 8a, 26, 28	8a, 8d	-	