### SAFETY DATA SHEET



### **SECTION 1: Identification of the substance/mixture and of the company/** undertaking

### 1.1 Product identifier

**Product name** : Ammonium Pentaborate **Chemical name** : Ammonium Pentaborate

**EC** number : 234-521-1

**REACH Registration number** 

Registration number	Legal entity
01-2119970312-43-0001	Borax Français S.A.S.

**CAS** number 12046-04-7 **Product type** : Solid.

Other means of : Ammonium Pentaborate

identification

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Refer to the table "Identified uses" below.

Identified uses
Importing and packaging Coatings (Flame retardants) A complete list of uses is provided in the introduction to Annex - Exposure Scenarios

Uses advised against	Reason
Consumer uses above a concentration of 0.3%.	-

### 1.3 Details of the supplier of the safety data sheet

### **Borax Europe Limited**

6 St. James's Square London, SW1Y 4AD United Kingdom T: +44 (0)20 7781 2000

### **Borax Français S.A.S.**

Usine/Siège Social Route de Bourbourg 59411 Coudekerque-Branche Cedex, France T: +33 3 28 29 28 30

### **Rio Tinto Iron & Titanium GmbH**

Alfred-Herrhausen-Allee 3-5, 65760 Eschborn Germany

T: +49 6196 96000

e-mail address of person : rtb.sds@riotinto.com responsible for this SDS

Date of issue/Date of revision : 9/26/2023 : 11/25/2022 Version : 1.02 1/16 Date of previous issue

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.4 Emergency telephone number

Telephone number : +44 (0) 1235 239 670 (Rio Tinto Borates)

For advice on chemical emergencies, spillages, fires or First Aid.

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition**: Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Repr. 2, H361d

Ammonium pentaborate tetrahydrate has a specific concentration limit of ≥ 4.8% for toxic to reproduction classification.

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Hazard pictograms



Signal word : Warning

**Hazard statements** : Suspected of damaging the unborn child.

**Precautionary statements** 

Prevention : Do not handle until all safety precautions have been read and understood.

**Response** : IF exposed or concerned: Get medical advice/attention.

Storage : Not applicable.

**Disposal** : Dispose of contents/container in accordance with local regulation.

Supplemental label

elements

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

**Special packaging requirements** 

Containers to be fitted with child-resistant

fastenings

: Not applicable.

Tactile warning of danger : Not applicable.

### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

PBT	Р	В	Т	vPvB	vP	vB
Not applicable (Inorganic)	N/A	N/A	N/A	Not applicable (Inorganic)	N/A	N/A

Other hazards which do not result in classification

: May be harmful if swallowed.

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 2/16

### **SECTION 3: Composition/information on ingredients**

3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Ammonium Pentaborate	REACH #: 01-2119970312-43 EC: 234-521-1 CAS: 12046-04-7	>99	Repr. 2, H361d	Repr. 2, H361d: C ≥ 4.8%	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

**Type** 

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**Eye contact** : Use eye wash fountain or fresh water to cleanse the eye. If irritation persists for

more than 30 minutes, seek medical attention.

**Inhalation**: If symptoms such as nose or throat irritation are observed, remove to fresh air.

**Skin contact**: No treatment necessary.

Ingestion : Swallowing small quantities (one teaspoon) will cause no harm to healthy adults. If

larger amounts are swallowed, give two glasses of water to drink and seek medical

attention.

Protection of first-aiders : No special protective clothing is required

### 4.2 Most important symptoms and effects, both acute and delayed

#### **Over-exposure signs/symptoms**

**Eve contact**: No known significant effects or critical hazards.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : Symptoms of accidental over-exposure to high doses of inorganic borate salts have

been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed

effects of skin redness and peeling.

**Ingestion** : Symptoms of accidental over-exposure to high doses of inorganic borate salts have

been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed

effects of skin redness and peeling.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Supportive care only is required for adult ingestion of less than a few grams of the

product. For ingestion of larger amounts, maintain fluid and electrolyte balance and maintain adequate kidney function. Gastric lavage is only recommended for heavily exposed, symptomatic patients in whom emesis has not emptied the stomach. Hemodialysis should be reserved for patients with massive acute absorption, especially for patients with compromised renal function. Boron analyses of urine or blood are only useful for verifying exposure and are not useful for evaluating severity

of poisoning or as a guide in treatment.

**Specific treatments**: No specific treatment.

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 3/16

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: None. The product is not flammable, combustible or explosive. Ammonia gas may

be released at high temperatures.

**Hazardous combustion** 

products

: None.

### 5.3 Advice for firefighters

**Special protective actions** 

for fire-fighters

: None.

Special protective

equipment for fire-fighters

: Not applicable.

Additional information

: Not explosive.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Eye goggles and gloves are not required for normal industrial exposures, but eye protection according to CEN 166:2001, Respirators (CEN 149:2001) should be

considered if environment is excessively dusty.

For emergency responders

Eye goggles and gloves are not required for normal industrial exposures, but eye protection according to CEN 166:2001, Respirators (CEN 149:2001) should be

considered if environment is excessively dusty.

**6.2 Environmental precautions** 

The product is a water-soluble white powder that may cause damage to trees or vegetation by root absorption. Avoid contamination of water bodies during clean up and disposal. Advise local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns the boron value to its normal environmental background level or meets local water quality standards.

### 6.3 Methods and material for containment and cleaning up

**Small spill** 

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 4/16

Ammonium Pentaborate

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

**Protective measures** 

: Good housekeeping procedures should be followed to minimise dust generation and accumulation. Avoid spills.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity and to minimise caking of the product, bags should be handled on a first-in first-out basis.

Storage temperature: Ambient temperature

Storage pressure: Ambient pressure Special sensitivity: Moisture (Caking)

### 7.3 Specific end use(s)

**Recommendations** : Refer to Annex - Exposure Scenarios

**Industrial sector specific** 

solutions

: Not available.

### SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

### Occupational exposure limits

No exposure limit value known.

#### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

: In the absence of a national OEL, Rio Tinto Borates recommends and applies internally an Occupational Exposure Limit (OEL) of 1 mg B/m³. To convert product

into equivalent boron (B) content, multiply by 0.199

### DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
Diammonium decaborate octahydrate	DNEL	Long term Oral	0.63 mg/ kg bw/day	General population [Consumers]	Systemic
	DNEL	Short term Oral	0.63 mg/ kg bw/day	General population [Consumers]	Systemic
	DNEL	Long term Dermal	127 mg/kg bw/day	General population [Consumers]	Systemic
	DNEL	Long term Dermal	252 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	17.04 mg/ m³	Workers	Local
	DNEL	Long term Inhalation	7.1 mg/m³	Workers	Local
	DNEL	Short term	5.4 mg/m³	Workers	Systemic

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 5/16

### **SECTION 8: Exposure controls/personal protection**

<del>-</del>	<u> </u>			
	Inhalation			
DNEL	Long term	5.4 mg/m³	Workers	Systemic
	Inhalation			
DNEL	Short term	17.04 mg/	General	Local
	Inhalation	m³	population	
			[Consumers]	_
DNEL	Short term	2.69 mg/m <sup>3</sup>		Systemic
	Inhalation		population	
			[Consumers]	_
DNEL	Long term	2.69 mg/m <sup>3</sup>		Systemic
	Inhalation		population	
			[Consumers]	
DNEL	Long term	9.3 mg/m <sup>3</sup>	General	Local
	Inhalation		population	
			[Consumers]	

#### **PNECs**

Product/ingredient name	Compartment Detail	Value	Method Detail
Diammonium decaborate octahydrate	Fresh water	2.02 mg B/L	-
·	Marine water	2.02 mg B/L	-
	Water - intermittent	13.7 mg B/L	-
	Air	No exposure	-
		expected	
	Soil	5.4 mg B/kg dry	-
		soil	
	Sediment	Waived due to	-
		lack of	
		partitioning to	
		sediment	
	Sewage Treatment	10 mg B/L	-
	Plant		

### 8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Eye protection according to CEN 166:2001 may be warranted if environment is excessively dusty

### **Skin protection**

**Hand protection** 

: Standard work gloves (cotton, canvas or leather) may be warranted if environment is excessively dusty

**Body protection** 

Other skin protection

: No special protective clothing is required.

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 6/16

### **SECTION 8: Exposure controls/personal protection**

### **Respiratory protection**

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Where airborne concentrations are expected to exceed exposure limits, respirators should be used. (CEN 149:2001).

#### **Environmental exposure** controls

Limiting releases from site: Where appropriate, material should be recovered and recycled through the process. Spillages of powder or granulated borates should be swept or vacuumed up immediately and placed in containers for disposal in order to prevent unintentional release to the environment. Waste containing borates should be handled as an hazardous waste and removed by licensed operator to an offsite location where it can be incinerated or disposed to a hazardous landfill.

Water Emissions: Storage should be sheltered from precipitation. Avoid spillage into water and cover drains. Removal from water can only be accomplished by very specific treatment technologies including ion exchange resins, reverse osmosis etc. Removal efficiency is dependent upon a number of factors and will vary from 40 to 90%. Much of the technology is currently not appropriate to high volume or mixed waste streams. Boron is not removed in considerable amounts in conventional STP. If sites discharge to a municipal STP the concentration of boron should not exceed the PNEC in the municipal STP

Air Emissions: Emissions to air can be removed by one or more of the following dust-control measures: electrostatic precipitators, cyclones, fabric or bag filters, membrane filters, ceramic and metal mesh filters, and wet scrubbers

### SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

**Appearance** 

**Physical state** : Solid. [Crystalline solid.]

Colour : White. **Odour** : Ammonia. **Odour threshold** : Not available. Melting point/freezing point : >500°C

Initial boiling point and boiling

range

**Flammability** 

: Not applicable. [melting point >300°C]

Lower and upper explosion

: Non-flammable. The product is not flammable, combustible or explosive.

limit

: Not applicable. Non-flammable.

Flash point : Not applicable. Inorganic substance. **Auto-ignition temperature** : Not applicable (solid). [Not self-heating.] **Decomposition temperature** : Not applicable. Melting point>300 °C pΗ

: 8.35 (1.0% solution); 7.32 (10.0% solution)

**Viscosity** : Dynamic: Not applicable (not liquid). [solid substance] Kinematic: Not applicable (not liquid). [solid substance]

Solubility in water

water

Partition coefficient: n-octanol/ : Not applicable. [Inorganic substance.]

: Not applicable. Melting point>300 °C Vapour pressure **Evaporation rate** : Not applicable (solid). [Non-volatile.]

**Relative density** : 1.574

**Density** : 1.574 g/cm<sup>3</sup>

**Bulk density** : Not available. Depends on batch.

Date of issue/Date of revision : 9/26/2023 Date of previous issue · 11/25/2022 Version : 1.02 7/16

#### Ammonium Pentaborate

### **SECTION 9: Physical and chemical properties**

Granulometry : Not available. Depends on batch.

Vapour density : Not applicable. Melting point>300 °C

**Explosive properties** : Not explosive. **Oxidising properties** : Not oxidising.

**Particle characteristics** 

**Median particle size** : Not available.

### **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : Under ambient temperatures, the product is stable. The product slowly breaks down

to release ammonia.

10.3 Possibility of : Reaction with strong reduci hazardous reactions : generate hydrogen gas whi

: Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard. Reaction with

strong bases such as NaOH will generate ammonia (NH3)

10.4 Conditions to avoid : Avoid contact with strong reducing agents by storing according to good industrial

practice

10.5 Incompatible materials : Strong reducing agents and strong bases

10.6 Hazardous : Ammonia.

decomposition products

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Product/ingredient name	Result type	Species	Dose	Exposure
Ammonium Pentaborate	LD50 Oral	Mouse	>4200 mg/kg body weight	-

**Conclusion/Summary**: Based on the available data

: Based on the available data, the classification criteria are not met.

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ammonium Pentaborate	Eyes - No irritation. Skin - No irritation.	Rabbit Rabbit	-	0.1 g 0.5 grams applied to intact and abraded skin. Based on similar substance Ammonium Biborate	-

### **Conclusion/Summary**

Skin : Based on the lack of dermal irritation responses in the rabbit from dermal application

of ammonium biborate, no dermal irritation would be expected from ammonium pentaborate.

Eyes : Slight initial re

: Slight initial reaction was observed subsiding after 30 minutes, Based on the results of the primary eye irritation study, the classification criteria are not met.

#### **Sensitisation**

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 8/16

### Ammonium Pentaborate

### **SECTION 11: Toxicological information**

Product/ingredient name	Route of exposure	Species	Result
boric acid	Respiratory skin	Guinea pig Guinea pig	Not sensitizing Not sensitizing

### **Conclusion/Summary**

Skin : Non-sensitiser to skin. (based on boric acid)

**Respiratory**: No respiratory sensitisation studies have been conducted. Non-sensitiser. (based on

boric acid)

### **Mutagenicity**

Product/ingredient name	Test	Experiment	Result
boric acid	(based on boric acid)	Experiment: In vitro Subject: Mammalian-Animal Cell: Germ	Negative

### **Conclusion/Summary**

: No data available on the product itself. Not mutagenic (based on boric acid)

#### **Carcinogenicity**

Product/ingredient name	Result	Species	Dose	Exposure
boric acid	Negative - Oral - TC	Mouse	446 to 1150 mg/kg Boric acid / body weight	

### **Conclusion/Summary**

: No data available on the product itself. No evidence of carcinogenicity (based on boric acid).

### **Reproductive toxicity**

Product/ingredient name	Maternal toxicity	Fertility effects	Developmental effects	Species	Effects	Exposure
boric acid	Negative	Negative	Negative	Human	No adverse fertility effects in male workers. Epidemiological studies of human developmental effects have shown an absence of effects in exposed borate workers and populations living in areas with high environmental levels of boron.	Combined oral ingestion and inhalation.
	Positive	-	Positive	Rat	NOAEL in rats for developmental effects on the foetus including foetal weight loss and minor skeletal variations is 9.6 mg B/ kg body weight; NOAEL in rats for maternal toxicity is 13.3 mg B/kg body weight	Oral feeding study
	-	Positive	-	Rat	NOAEL in rats for effects on fertility in males is 17.5 mg B/kg body weight.	Oral feeding study

### **Conclusion/Summary**

: Reprotoxicity studies have been conducted with boric acid and disodium tetraborate. A multigeneration study in the rat gave a NOAEL for fertility in males of 17.5 mg B/kg/day. Developmental effects have been observed in laboratory animals, the most sensitive species being the rat with a NOAEL of 9.6 mg B/kg bw/day. Boric acid and Disodium tetraborate are classified under the 1st ATP to CLP as Repr. 1B; H360FD. While boron has been shown to adversely affect male reproduction in laboratory animals, there was no clear evidence of male reproductive effects attributable to boron in studies of highly exposed workers. Following an evaluation based on weight of evidence, classification as Repr. Cat 2 is justified

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 9/16

### Ammonium Pentaborate

### SECTION 11: Toxicological information

#### **Teratogenicity**

**Conclusion/Summary** : See Reproductive toxicity.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
No data available on the product itself.			

### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
No data available on the product itself.			

### **Aspiration hazard**

Product/ingredient name	Result	
Diammonium decaborate octahydrate	Physical form of solid powder indicates no aspiration hazard potential.	

Information on likely routes of exposure

: Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because product is poorly absorbed through intact skin. This product is not intended for ingestion.

### Potential acute health effects

Eye contact

No known significant effects or critical hazards.

Inhalation

: No known significant effects or critical hazards.

**Skin contact** 

: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed

effects of skin redness and peeling.

Ingestion

This product is not intended for ingestion. Small amounts (e.g., a teaspoon) swallowed accidentally are not likely to cause effects; swallowing amounts larger than that may cause gastrointestinal symptoms. Symptoms of accidental overexposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eve contact** 

: No known significant effects or critical hazards.

Inhalation

: No known significant effects or critical hazards.

Skin contact

: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

Ingestion

: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Short term exposure** 

**Potential immediate** 

: Not available.

effects

Potential delayed effects

Not available.

Long term exposure

Date of issue/Date of revision 9/26/2023 · 11/25/2022 Version : 1.02 10/16 Date of previous issue

### **SECTION 11: Toxicological information**

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Human epidemiological studies show no increase in pulmonary disease in

occupational populations with chronic exposures to boric acid and sodium borate

dust.

Human epidemiological studies indicate no effect on fertility in occupational populations with chronic exposures to borate dust and indicate no effect to a general

population with high exposures to borates in the environment.

#### Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
boric acid	Chronic NOAEL Oral	Rat	17.5 mg/kg 0; 33 (5.9); 100 (17.5); 334 (58.5) mg boric acid (B)/kg bw per day (nominal in diet); and 0; 52 (5.9); 155 (17.5); 516 (58.5) mg borax (B)/kg/day (nominal in diet)	Oral feeding study

### **Conclusion/Summary**

: A NOAEL of 17.5 mg B/kg body weight/day equivalent to 100 mg boric acid/kg body weight/day was determined in a chronic feeding study (2 years) in rats and is based on testes effects.

Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid and sodium borate

Human epidemiological studies indicate no effect on fertility in occupational populations with chronic exposures to borate dust and indicate no effect to a general population with high exposures to borates in the environment.

: No known significant effects or critical hazards. No known significant effects or critical hazards. Carcinogenicity

No known significant effects or critical hazards. Mutagenicity

Suspected of damaging the unborn child. Reproductive toxicity

**Toxicokinetics** 

General

: Absorption of borates via the oral route is nearly 100 %. For the inhalation route also **Absorption** 

100 % absorption is assumed as worst case scenario. Dermal absorption through

intact skin is very low with a percent dose absorbed of < 0.5 %.

: Boric acid is distributed rapidly and evenly through the body, with concentrations in **Distribution** 

bone 2 - 3 higher than in other tissues.

: In the blood boric acid is the main species present and is not further metabolised Metabolism

**Elimination** Boric acid is excreted rapidly, with elimination half-lives of 1 h in the mouse, 3 h in

the rat and < 27.8 h in humans, and has low potential for accumulation. Boric acid is

mainly excreted in the urine.

### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Date of issue/Date of revision : 11/25/2022 9/26/2023 Date of previous issue Version : 1.02 11/16

#### Ammonium Pentaborate

### **SECTION 12: Ecological information**

Product/ingredient name	Result	Species	Exposure
boric acid	EC50 52.4 mg/l (as Boron)	Pseudokirchneriella subcapitata	Fresh
			water -
			Acute
	LC50 91 mg/l (as Boron)	Ceriodaphnia dubia	Fresh
			water -
			Acute
	LC50 79.7 mg/l (as Boron)	Pimephales promelas	Fresh
			water -
			Acute
	NOEC 6.4 mg/l (as Boron)	Brachydanio rerio	Fresh
			water -
			Chronic
	NOEC 14.2 mg/l (as Boron)	Daphnia magna	Fresh
			water -
			Chronic
	NOEC 17.5 mg/l (as Boron)	Pseudokirchneriella subcapitata	Fresh
			water -
			Chronic

### **Conclusion/Summary**

: Note that the data values are expressed as boron equivalents. To convert product into equivalent boron (B) content, multiply by 0.1986

Boron is an essential micronutrient for healthy growth of plants; however, it can be harmful to boron sensitive plants in high quantities. Care should be taken to minimize the amount of this product released to the environment.

### 12.2 Persistence and degradability

Conclusion/Summary : Not applicable. Inorganic substance

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
boric acid	-0.757	-	Low

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

**Mobility** 

: The product is soluble in water and is leachable through normal soil. Adsorption to soils or sediments is insignificant.

### 12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	Р	В	T	vPvB	vP	vB
Diammonium decaborate octahydrate	Not applicable (Inorganic)	N/A	N/A		Not applicable (Inorganic)	N/A	N/A

### 12.6 Endocrine disrupting properties

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 12/16

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible.

Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any

regional local authority requirements.

**Hazardous waste** : Yes. This product is classified as toxic to reproduction (Repr. 2) and falls within

scope of Directive 2008/98/EC as hazardous waste (H10).

**Packaging** 

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste

packaging should be recycled. Incineration or landfill should only be considered

when recycling is not feasible.

**Special precautions**: Care should be taken when handling emptied containers that have not been cleaned

or rinsed out.

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

**14.6 Special precautions for** : Not applicable. **user** 

14.7 Maritime transport in bulk according to IMO instruments : Not available.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

Substances of very high concern

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 13/16

### **SECTION 15: Regulatory information**

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

No listed substance

Other EU regulations

Industrial emissions : Not listed

(integrated pollution prevention and control) -

Air

Industrial emissions : Not listed

(integrated pollution prevention and control) -

Water

Explosive precursors : Not applicable.

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**National regulations** 

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Thailand** 

**Inventory list** 

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Eurasian Economic Union: Russian Federation inventory: All components are listed or exempted.

**Japan** : **Japan inventory (CSCL)**: All components are listed or exempted.

: All components are listed or exempted.

Japan inventory (ISHL): All components are listed or exempted.

New Zealand: All components are listed or exempted.Philippines: All components are listed or exempted.Republic of Korea: All components are listed or exempted.Taiwan: All components are listed or exempted.

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 14/16

Ammonium Pentaborate

### **SECTION 15: Regulatory information**

Turkey: Not determined.

United States : All components are active or exempted.Viet Nam : All components are listed or exempted.

15.2 Chemical safety

assessment

: Not yet complete.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

Key literature references and sources for data

For general information on the toxicology of borates see Patty's Toxicology, 6th

Edition Vol. I, (2012) Chap. 23, 'Boron'.

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Repr. 2, H361d	Expert judgment	

### Full text of abbreviated H statements

H361d	Suspected of damaging the unborn child.

### Full text of classifications [CLP/GHS]

Repr. 2	REPRODUCTIVE TOXICITY - Category 2

**Additional information**: Restricted to professional users.

Do not ingest.

Keep out of reach of children. Refer to safety data sheet.

Not for use in food, drugs or biocides

Date of issue/ Date of

revision

: 26/09/2023

Date of previous issue : 25/11/2022

Version : 1.02

Europe / 4.13 / EN-GB

#### **Notice to reader**

### Disclaimer:

U.S. Borax Inc. or Borax Europe Limited or Borax Français S.A.S. or Rio Tinto Iron & Titanium GmbH or Rio Tinto Minerals Asia Pte. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

U.S. BORAX INC. or BORAX EUROPE LIMITED OF BORAX FRANÇAIS S.A.S. OF RIO TINTO IRON & TITANIUM GMBH OF RIO TINTO MINERALS ASIA PTE. LTD. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 15/16

Ammonium Pentaborate

### **SECTION 16: Other information**

THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY U.S. BORAX INC. or BORAX EUROPE LIMITED or BORAX FRANÇAIS S.A.S. or RIO TINTO IRON & TITANIUM GMBH or RIO TINTO MINERALS ASIA PTE. LTD. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.

### **Annex: Exposure Scenarios**

The following table lists the uses identified and registered for this substance. Each use has a number of applicable human health, environmental and consumer exposure scenarios. These can be found at www.borax.com/EU-REACH/ exposure-scenarios

Date of issue/Date of revision : 9/26/2023 Date of previous issue : 11/25/2022 Version : 1.02 16/16

	Exposure Scenario (ES)	Sector of Use (SU)	Article Category (AC)	Product Category (PC)	Process Category (PROC)	Environmental Release Category (ERC)	Subsq Service Life
1	Manufacture of the substance	-	-	-	1, 2, 3 ,8b, 9, 14, 15, 28	1	-
2	Formulation into mixture	-	-	9a, 12	1, 2, 3, 8a, 8b, 9, 15, 28	2	-
3	Industrial use in electrolytic capacitors	16, 23	-	0: other	2, 3, 5, 8a, 8b, 9, 15, 28	5	ES7, ES9, ES10
4	Industrial use of varnish	19	-	9a	2, 7, 8a, 10, 13, 28	4	ES6, ES8
5	Professional use of micronutrient fertilisers	1	-	12	2, 3, 8a, 9, 11, 28	8a, 8d	-
6	Industrial service life of varnished articles	-	7a	-	21, 24	12a, 12c	-
7	Industrial service life of electronic articles	-	3	-	21	12c	-
8	Professional service life of varnished articles	-	7a	-	21, 24	10a, 11a	-
9	Professional service life of electronic articles	-	3	-	21	10a, 11a	-
10	Consumer service life of electronic articles	-	3	-	-	10a, 11a	-