

SAFETY DATA SHEET

This SDS conforms to U.S. Code of Federal Regulations 29 CFR 1910.1200. Hazard Communication.



Section 1. Identification

Product name : Sodium metaborate 4 mol
Chemical name : Sodium metaborate dihydrate
Other means of : Sodium metaborate dihydrate

identification

Product type : Solid.

Relevant identified uses of the substance or mixture and uses advised against

Material uses : Industrial manufacturing

Supplier's details : U.S. Borax Inc.

14486 Borax Road Boron, CA 93516-2000

USA

+1 (760) 762 7000 : rtb.sds@riotinto.com

e-mail address of person responsible for this SDS

Emergency telephone

number

: Toll Free (24 Hr) +1 866 928 0789 Non-Toll Free (24 Hr)

+1 215 207 0061 (Rio Tinto Borates)

For advice on chemical emergencies, spillages, fires or first aid.

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the : EYE IRRITATION - Category 2A

substance or mixture TOXIC TO REPRODUCTION - Category 2

GHS label elements

Hazard pictograms :





Signal word : Warning

Hazard statements: Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

Precautionary statements

General: Do not handle until all safety precautions have been read and understood.

Date of issue/Date of revision : 09/30/2024 Version : 1 1/15

Sodium metaborate 4 mol

Section 2. Hazards identification

Prevention: Wear eye protection.

Response : F exposed or concerned: Get medical advice/attention. IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Storage : Not applicable.

Disposal: Dispose of contents/container in accordance with local regulation.

Hazards not otherwise

classified

Section 3. Composition/information on ingredients

Substance/mixture : Substance

Chemical name : Sodium metaborate dihydrate

CAS number/other identifiers

CAS number : 16800-11-6

Ingredient name	%	CAS number
Sodium metaborate dihydrate	>99	16800-11-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Use eye wash fountain or fresh water to cleanse the eye. If irritation persists for more

than 30 minutes, seek medical attention.

Inhalation: Fymptoms such as nose or throat irritation are observed, remove to fresh air.

Skin contact: No treatment necessary.

Ingestion : Swallowing small quantities (one teaspoon) will cause no harm to healthy adults. If larger

amounts are swallowed, give two glasses of water to drink and seek medical attention.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact : Symptoms of accidental over-exposure to high doses of inorganic borate salts have

been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin

redness and peeling.

Ingestion : This product is not intended for ingestion. Small amounts (e.g., a teaspoon) swallowed

accidentally are not likely to cause effects; swallowing amounts larger than that may cause gastrointestinal symptoms. Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea,

with delayed effects of skin redness and peeling.

Over-exposure signs/symptoms

Date of issue/Date of revision : 09/30/2024 Version : 1 2/15

Section 4. First aid measures

Eye contact: Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Symptoms of accidental over-exposure to high doses of inorganic borate salts have

been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin

redness and peeling.

Ingestion : Symptoms of accidental over-exposure to high doses of inorganic borate salts have

been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin

redness and peeling.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Supportive care only is required for adult ingestion of less than a few grams of the

product. For ingestion of larger amounts, maintain fluid and electrolyte balance and maintain adequate kidney function. Gastric lavage is only recommended for heavily exposed, symptomatic patients in whom emesis has not emptied the stomach.

Hemodialysis should be reserved for patients with massive acute absorption, especially for patients with compromised renal function. Boron analyses of urine or blood are only useful for verifying exposure and are not useful for evaluating severity of poisoning or as

a guide in treatment.

Specific treatments: No specific treatment.

Protection of first-aiders : No special protective clothing is required

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

rom the chemical

Hazardous thermal decomposition products

: None. The product is not flammable, combustible or explosive.

mal : None.

Special protective actions

for fire-fighters

: None.

Special protective equipment for fire-fighters

: Not applicable.

Remark: Non-flammable. The product is not flammable, combustible or explosive.

Remark : Not explosive.

Date of issue/Date of revision : 09/30/2024 Version : 1 3/15

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: The product is a water-soluble white powder that may cause damage to trees or vegetation by root absorption. Avoid contamination of water bodies during clean up and disposal. Advise local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns the boron value to its normal environmental background level or meets local water quality standards.

Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Sood housekeeping procedures should be followed to minimise dust generation and accumulation. Avoid spills.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity and to minimise caking of the product, bags should be handled on a first-in first-out basis.

Storage temperature: Ambient temperature Storage pressure: Ambient pressure Special sensitivity: Moisture (Caking)

Date of issue/Date of revision : 09/30/2024 Version : 1 4/15

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Sodium metaborate dihydrate	OSHA PEL (United States). [Total dust] Particulate Not Otherwise Classified or Nuisance Dust: 15 mg/m³ OSHA PEL (United States). [Respirable dust] Particulate Not Otherwise Classified or Nuisance Dust: 5 mg/m³ Cal OSHA/PEL (United States). Particulate Not Otherwise Classified or Nuisance Dust: 5 mg/m³

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures

: In the absence of a national OEL, Rio Tinto Borates recommends and applies internally an Occupational Exposure Limit (OEL) of 1 mg B/m³. To convert product into equivalent boron (B) content, multiply by 0.1062.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. Recommended: Eye protection according to ANSI Z.87.1 or other national standards are required.

Skin protection

Hand protection

: Standard work gloves (cotton, canvas or leather) may be warranted if environment is excessively dusty.

Body protection

Other skin protection

: No special protective clothing is required.

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Date of issue/Date of revision : 09/30/2024 Version : 1 5/15

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Solid. [Crystalline solid.]

White. Color Odourless. Odor

: Not applicable. Odourless. Odor threshold

: 10.6 (0.1% solution); 11.1 (1.0% solution); 11.5 (4.0% solution) Ha

Melting point/freezing point : >500°C (>932°F)

Boiling point, initial boiling point, and boiling range

: Not applicable. [melting point >300°C]

: Not applicable. Inorganic substance. Flash point : Not applicable (solid). [Non-volatile.] **Evaporation rate**

: Non-flammable. The product is not flammable, combustible or explosive. **Flammability**

Lower and upper explosion

limit/flammability limit

: Not applicable. Non-flammable.

: Not applicable. Melting point>300°C Vapor pressure : Not applicable. Melting point>300°C **Relative vapor density**

: 1/9 **Relative density**

: Not available. Depends on batch. **Bulk density** : Not available. Depends on batch. **Granulometry**

Solubility in water

Partition coefficient: n-

octanol/water

: Not applicable. [Inorganic substance.]

: Not applicable (solid). [Not self-heating.] **Auto-ignition temperature Decomposition temperature** : Not applicable. Melting point>300°C

: Dynamic: Not applicable (not liquid). [solid substance] Viscosity Kinematic: Not applicable (not liquid). [solid substance]

Particle characteristics

: Not available. Median particle size

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

: Under ambient temperatures, the product is stable. **Chemical stability**

Possibility of hazardous reactions

: Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard.

: Avoid contact with strong acids. **Conditions to avoid**

Incompatible materials : Material is alkaline and can cause corrosion of metals such as aluminium, tin and zinc.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Date of issue/Date of revision : 09/30/2024 Version 6/15

Information on toxicological effects

Absorption

: Absorption of borates via the oral route is nearly 100 %. For the inhalation route also 100 % absorption is assumed as worst case scenario. Dermal absorption through intact skin is very low with a percent dose absorbed of < 0.5 %.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Boric acid	LC50 Inhalation Dusts and mists	Rat	>2 mg/l (Based on Disodium tetraborate pentahydrate)	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg body weight (Based on Disodium tetraborate	-
	LD50 Oral	Rat	pentahydrate) 2000 to 5000 mg/ kg body weight	-

Conclusion/Summary

: No data available on the product itself. Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Sodium metaborate dihydrate	Eyes - Irritant	New Zealand White Rabbit	-	0.08 ml equivalent	Disodium tetraborate pentahydrate
	Skin - No irritation.	New Zealand White Rabbit		0.5 g moistened with saline	Disodium tetraborate pentahydrate

: Based on the available data, the classification criteria are not met.

Conclusion/Summary

Skin

Eyes

: No skin irritation. Based on the available data, the classification criteria are not met.

: No data available on the product itself. However, based on pH and alkaline reserve, the product is likely to be an eye irritant. Since a low alkaline reserve for sodium metaborates has been estimated, the sodium metaborates are not likely to be serious irritants.

Respiratory

Sensitization

Conclusion/Summary

Skin

<u>ry</u>

: Not a skin sensitizer. (based on boric acid/Disodium tetraborate). Based on the available data, the classification criteria are not met.

Respiratory

: No respiratory sensitization studies have been conducted. There are no data to suggest that borates are respiratory sensitisers. Based on available data, the classification criteria are not met.

Mutagenicity

Conclusion/Summary

: Mot mutagenic (based on boric acid). Based on the available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary

: No evidence of carcinogenicity (based on boric acid). Based on the available data, the classification criteria are not met.

Reproductive toxicity

Date of issue/Date of revision : 09/30/2024 Version : 1 7/15

Product/ingredient name	Maternal toxicity	Fertility Effects	Developmental effects	Species	Effects	Exposure
Sodium metaborate dihydrate	Negative	Negative	Negative	Human	No adverse fertility effects in male workers. Epidemiological studies of human developmental effects have shown an absence of effects in exposed borate workers and populations living in areas with high environmental levels of boron.	Combined oral ingestion and inhalation.
	Positive	-	Positive	Rat	NOAEL in rats for developmental effects on the foetus including foetal weight loss and minor skeletal variations is 9.6 mg B/kg body weight; NOAEL in rats for maternal toxicity is 13.3 mg B/kg body weight.	Oral feeding study
	-	Positive	-	Rat	NOAEL in rats for effects on fertility in males is 17.5 mg B/kg body weight.	Oral feeding study

Conclusion/Summary

: Reprotoxicity studies have been conducted with boric acid and disodium tetraborate. A multigeneration study in the rat gave a NOAEL for fertility in males of 17.5 mg B/kg/day. Developmental effects have been observed in laboratory animals, the most sensitive species being the rat with a NOAEL of 9.6 mg B/kg bw/day. While boron has been shown to adversely affect male reproduction in laboratory animals, there was no clear evidence of male reproductive effects attributable to boron in studies of highly exposed workers. Following an evaluation based on weight of evidence, classification as Repr. Cat 2 is justified.

Teratogenicity

Conclusion/Summary : See Reproductive toxicity.

Specific target organ toxicity (single exposure)

Date of issue/Date of revision : 09/30/2024 Version : 1 8/15

Name	• •	Route of exposure	Target organs
Sased on the available data, the classification criteria are not met.			

Specific target organ toxicity (repeated exposure)

Name	 Route of exposure	Target organs
Based on the available data, the classification criteria are not met.		

Aspiration hazard

Name	Result
	Physical form of solid powder indicates no aspiration hazard potential.

Information on the likely routes of exposure

: Noutes of entry anticipated: Inhalation.
Inhalation is the most significant route of exposure in occupational and other settings.
Dermal exposure is not usually a concern because product is poorly absorbed through intact skin. Product is not intended for ingestion.

Potential acute health effects

Eye contact

: Causes serious eye irritation.

Inhalation

: No known significant effects or critical hazards.

Skin contact

: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

Ingestion

in this product is not intended for ingestion. Small amounts (e.g., a teaspoon) swallowed accidentally are not likely to cause effects; swallowing amounts larger than that may cause gastrointestinal symptoms. Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact

: Adverse symptoms may include the following: pain or irritation

watering

redness

Inhalation

: Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact

: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

Ingestion

: Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhoea, with delayed effects of skin redness and peeling.

Date of issue/Date of revision : 09/30/2024 Version :1 9/15

Sodium metaborate 4 mol

Section 11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

effects

: Not available.

Potential delayed effects

: Not available.

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed effects: Fuman epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid and sodium borate dust. Human epidemiological studies indicate no effect on fertility in occupational populations with chronic exposures to borate dust and indicate no effect to a general population with high

exposures to borates in the environment.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Sodium metaborate dihydrate	Chronic NOAEL Oral	Rat	17.5 mg/kg 0; 33 (5.9); 100 (17.5); 334 (58.5) mg boric acid (B)/ kg bw per day (nominal in diet); and 0; 52 (5.9); 155 (17.5); 516 (58.5) mg borax (B)/kg/day (nominal in diet)	Oral feeding study

Conclusion/Summary

: NOAEL of 17.5 mg B/kg body weight/day equivalent to 100 mg boric acid/kg body weight/day was determined in a chronic feeding study (2 years) in rats and is based on testes effects. Based on the available data, the classification criteria are not met.

Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid and sodium borate dust. Human epidemiological studies indicate no effect on fertility in occupational populations with chronic exposures to borate dust and indicate no effect to a general population with high exposures to borates in the environment.

: No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity: Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	, •	,	(vapors)	Inhalation (dusts and mists) (mg/ I)
Mone				

Toxicokinetics

General

Date of issue/Date of revision : 09/30/2024 Version : 1 10/15

Distribution

Elimination

Metabolism : In the b

- : Foric acid is distributed rapidly and evenly through the body, with concentrations in bone 2-3 higher than in other tissues.
- : In the blood boric acid is the main species present and is not further metabolised.
- : Foric acid is excreted rapidly, with elimination half-lives of 1 h in the mouse, 3 h in the rat and <27.8 h in humans, and has low potential for accumulation. Boric acid is mainly excreted in the urine.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Sodium metaborate dihydrate	EC50 52.4 mg/l (as Boron)	Pseudokirchneriella subcapitata	Fresh
•	,	·	water -
			Acute
	LC50 91 mg/l (as Boron)	Ceriodaphnia dubia	Fresh
			water -
			Acute
	LC50 79.7 mg/l (as Boron)	Pimephales promelas	Fresh
			water -
			Acute
	NOEC 6.4 mg/l (as Boron)	Brachydanio rerio	Fresh
			water -
			Chronic
	NOEC 14.2 mg/l (as Boron)	Daphnia magna	Fresh
			water -
			Chronic
	NOEC 17.5 mg/l (as Boron)	Pseudokirchneriella subcapitata	Fresh
			water -
			Chronic

Conclusion/Summary

: Note that the data values are expressed as boron equivalents. To convert this product into equivalent boron (B) content, multiply by 0.1062. Studies judged to be unreliable or with insufficient information to evaluate are not included.

Boron is an essential micronutrient for healthy growth of plants; however, it can be harmful to boron sensitive plants in high quantities. Care should be taken to minimize the amount of this product released to the environment.

Persistence and degradability

Conclusion/Summary

: Not applicable. Inorganic substance

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
B oric acid	-0.757	-	Low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility

: The product is soluble in water and is leachable through normal soil. Adsorption to soils or sediments is insignificant.

Date of issue/Date of revision : 09/30/2024 Version : 1 11/15

Sodium metaborate 4 mol

Section 12. Ecological information

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: Waste packaging should be recycled. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Mot regulated.	⋈ ot regulated.	Mot regulated.
UN proper shipping name					
Transport hazard class(es)					
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Special precautions for user : Not applicable.

Transport in bulk according to IMO instruments : Not applicable.

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not listed

Clean Air Act Section 602

: Not listed

Class I Substances

: Not listed

Clean Air Act Section 602
Class II Substances

. Trot hotou

DEA List I Chemicals (Precursor Chemicals)

: Not listed

DEA List II Chemicals (Essential Chemicals)

: Not listed

Date of issue/Date of revision : 09/30/2024 Version : 1 12/15

Section 15. Regulatory information

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : FYE IRRITATION - Category 2A

TOXIC TO REPRODUCTION - Category 2

Composition/information on ingredients

No products were found.

State regulations

Massachusetts
None of the components are listed.
New York
Mone of the components are listed.
New Jersey
Mone of the components are listed.
Pennsylvania
Mone of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

China : All components are listed or exempted.

Eurasian Economic Union: Russian Federation inventory: All components are listed or exempted.

Japan : Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : MI components are listed or exempted.
United States : MI components are active or exempted.
Viet Nam : MI components are listed or exempted.

Date of issue/Date of revision : 09/30/2024 Version : 1 13/15

Section 15. Regulatory information

Canada

WHMIS (Canada) : **E**YE IRRITATION - Category 2A

TOXIC TO REPRODUCTION - Category 2

Canadian NPRI: None of the components are listed.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification	Justification
	Expert judgment Expert judgment

Additional information : Keep out of reach of children.

Do not ingest.

Refer to safety data sheet.

Not for use in food, drugs or pesticides.

History

Date of issue/Date of : 30/09/2024

revision

Date of previous issue : 20/10/2014

Version : 1

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

IMSBC = International Maritime Solid Bulk Cargoes Code LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

Date of issue/Date of revision : 09/30/2024 Version : 1 14/15

Section 16. Other information

SGG = Segregation Group UN = United Nations

References

For general information on the toxicology of borates see Patty's Toxicology, 6th Edition Vol. I, (2012) Chap. 23, 'Boron'.

✓ Indicates information that has changed from previously issued version.

United States / 4.13 / EN-US

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Disclaimer:

U.S. Borax Inc. or Borax Europe Limited or Borax Français S.A.S. or Rio Tinto Iron & Titanium GmbH or Rio Tinto Minerals Asia Pte. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

U.S. BORAX INC. OF BORAX EUROPE LIMITED OF BORAX FRANÇAIS S.A.S. OF RIO TINTO IRON & TITANIUM GMBH OF RIO TINTO MINERALS ASIA PTE. LTD. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY U.S. BORAX INC. OF BORAX EUROPE LIMITED OF BORAX FRANÇAIS S.A.S. OF RIO TINTO IRON & TITANIUM GMBH OF RIO TINTO MINERALS ASIA PTE. LTD. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OR RELIANCE UPON THIS INFORMATION.

Date of issue/Date of revision : 09/30/2024 Version : 1 15/15